

WorkSite Pro Attachment Compatibility

	Skid Steers					Compact Track Loaders		Compact Excavators				Tractor Loader Backhoe	Compact Wheel Loader
	317	320	325	328	332	CT322	CT332	17D	27D	35D	50D	110 TLB	244J*
Augers													
Planetary Drive													
PA15								•	•				
PA30	•	•	•	•	•	•	•			•	•	•	•
Chain Drive													
CA15								•	•				
CA25	•	•	•	•	•	•	•			•		•	•
Backhoes													
BH8	•WT	•WT	•	•	•	•	•						
BH9	•WT	•WT	•	•	•	•	•						
BH11	•WT	•WT	•	•	•	•	•						
Bale Spear													
	•	•	•	•	•	•	•					•	•
Breakers													
HH15	•	•						•	•				
HH30	•	•	•	•		•	•		•	•			
HH50	•	•	•	•	•	•	•		•	•	•		
HB60	•	•	•	•		•	•		•	•	•	•	
HH75	•	•	•	•	•	•	•			•	•		
HB85			•	•	•		•			•	•		
Buckets													
Construction 60 in.	•	•											
Construction 66 in.	•	•											
Construction 72 in.	•	•	•	•		•	•					•	
Construction 76 in.		•	•	•	•	•	•						
Construction 78 in. (HD)	•	•	•	•	•	•	•						•
Construction 84 in. (HD)		•	•	•	•	•	•						•
Foundry 66 in.	•	•											
Foundry 72 in.	•	•	•	•		•	•					•	
Foundry 78 in. (HD)	•	•	•	•	•	•	•						
MP66	•	•											
MP72	•	•	•	•		•	•					•	
MP78	•	•	•	•	•	•	•						
MP84			•	•	•	•	•						
Tooth 60 in.	•	•											
Tooth 66 in.	•	•											
Tooth 72 in.	•	•	•	•		•	•					•	
Tooth 76 in.		•	•	•	•	•	•						
Tooth 78 in. (HD)	•	•	•	•	•	•	•						•
Tooth 84 in. (HD)		•	•	•	•	•	•						•
Utility 66 in.	•	•											
Utility 72 in.	•	•	•	•		•	•					•	
Utility 78 in. (HD)	•	•	•	•	•	•	•					•	•
Utility 84 in. (HD)	•	•	•	•	•	•	•					•	•

HD=Heavy Duty WT=Requires Additional Weights HF=Requires High Flow

*Requires the skid-steer interface in order to operate.

	Skid Steers					Compact Track Loaders		Compact Excavators				Tractor Loader Backhoe	Compact Wheel Loader
	317	320	325	328	332	CT322	CT332	17D	27D	35D	50D	110 TLB	244J*
Backhoe/Excavator Buckets													
9 in.								•					
12 in.								•	•	•	•	•	
16 in.								•					
18 in.								•	•	•	•	•	
20 in.												•	
24 in.									•	•	•	•	
30 in.									•	•	•	•	
34 in.										•			
36 in.											•	•	
Brooms													
Angle/Pickup													
BA72	•	•	•	•	•	•	•						
BA84	•	•	•	•	•	•	•						
BP72	•	•	•	•	•	•	•						
BP84	•	•	•	•	•	•	•						
BR72	•	•	•	•	•	•	•					•	
BR84	•	•	•	•	•	•	•						•
Cold Planers													
CP12C	•	•	•	•		•							
CP18C		•HF	•HF	•HF	•HF	•HF	•HF						
CP24C			•HF	•HF	•HF		•HF						
CP30C			•HF	•HF	•HF		•HF						
Dozer Blades													
DB84	•	•	•			•							
DB96				•	•		•						
Grapples													
Brush Tined													
GT72	•	•	•	•		•							•
GT80		•	•	•	•	•	•						•
Scrap													
GS66	•	•											
GS72	•	•	•	•	•	•	•						
GS78		•	•	•	•	•	•						•
GS84			•	•	•	•	•						•
Utility Ag													
GU66	•	•											
GU72	•	•	•	•		•						•	
GU78	•	•	•	•		•							
Landplanes													
LP72	•	•	•			•							
LP78		•	•	•	•	•	•						
LP84			•	•	•	•	•						
Pallet Forks													
Pin	•	•	•	•	•	•	•					•	
Rail	•	•	•	•	•	•	•					•	
Heavy Duty			•	•	•	•	•						•
Power Rakes													
PR72B	•	•	•	•	•	•	•						
PR84B	•	•	•	•	•	•	•						
PR96B		•	•	•	•	•	•						
Roller Levels													
RL66	•	•	•			•							
RL84			•	•	•	•	•						

HD=Heavy Duty WT=Requires Additional Weights HF=Requires High Flow

*Requires the skid-steer interface in order to operate.

WorkSite Pro Attachment Compatibility (continued from pages 10–11)

	Skid Steers					Compact Track Loaders		Compact Excavators				Tractor Loader Backhoe	Compact Wheel Loader
	317	320	325	328	332	CT322	CT332	17D	27D	35D	50D	110 TLB	244J*
Rotary Tillers													
RT52	•	•	•	•	•	•	•						
RT66	•	•	•	•	•	•	•						
Snow/Utility Blades													
BL7	•	•	•	•	•	•	•						
BL8	•	•	•	•	•	•	•						•
BL9	•	•	•	•	•	•	•						•
BL10			•	•	•	•	•						•
Steel Tracks													
10 in.	•	•											
12 in.		•	•	•									
14 in.				•	•								
Three-Point Hitch	•	•	•	•	•	•	•					•	
Trenchers													
TR36B	•	•	•	•	•	•	•						
TR48B	•	•	•	•	•	•	•						
TR60B	•HF	•HF	•HF	•HF	•HF	•HF	•HF						
Vibratory Rollers													
VR66C	•WT	•WT	•	•	•	•	•						
VR66C Sheepsfoot	•WT	•WT	•	•	•	•	•						
VR73C			•	•	•	•	•						
VR73C Sheepsfoot			•	•	•	•	•						
VR84C			•	•	•	•	•						

HD=Heavy Duty WT=Requires Additional Weights HF=Requires High Flow

*Requires the skid-steer interface in order to operate.

John Deere Credit helps you get attached quickly.

With John Deere Credit, you have many options available to get the attachments you need to stay productive. From flexible rates to flexible payment options, our financial solutions can improve your cash flow and help your business grow. Contact us today, and see how easy it is to get attached to greater productivity.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specifications, design, and price of products described in this literature without notice.

