

X500 – 700 Series Attachments

48-inch Front Blade



Features

- Easily raised and lowered
- Adjustable skid shoes to prevent gouging on uneven surfaces
- Front blade can be tipped forward to reduce the amount of storage space required
- Compatible with X500 Multi-Terrain™, GT and GX Series Tractors

3-Bag, 14-Bushel, Power Flow Bagger



Features

- 14-bushel capacity 3-bag hopper
- Quik-Tatch mounting system makes for easy removal and installation
- Lightweight Polyethylene blower fan and housing provides efficient grass flow
- Large-diameter chute provides smooth flow of material
- Fill-Minder™ indicator alerts operator when the bags are getting full to prevent chute plugging

Soft Weather Enclosure



Features

- Hard top weather enclosure roof is made from ABS plastic with UV inhibitor for long life
- Durable stop-rip vinyl fabric is used for sides and doors
- Frame constructed of 16-gauge steel tubing is strong but lightweight for easier handling
- Installation is quick and simple
- Designed specifically for X Series Tractors
- Compatibility with all John Deere attachments, including the 45 Loader

X500 – 700 Series Attachments

MC519 Cart



Features

- Two products in one: 7.5-cubic-foot capacity utility cart or standard 19-bushel capacity collector
- Quik-Tatch hookup for 15-second installation
- 120-pound gas lift-assist cylinder for dumping heavy loads from the seat
- 50-degree dump angle for complete unloading
- Caster wheels for outstanding maneuverability
- Optional Power Flow kit, perfect when collecting long, wet grass and leaves

CargO Mount™ Double Bucket Holder



Features

- Great for transporting mulch, plants or debris
- Holder bracket slips into the rear CargO mounts on any X300 Series and X500 Multi-Terrain™ Series Tractors
- For use with any standard 5-gallon buckets; buckets not included
- Designed to carry up to 70 pounds of material

Front-Mounted Thatchers



Features

- Heavy-duty 3/16-inch tines handles the toughest thatching jobs
- Compatible with X300 and X700 Select Series™ as well as Rear-engine riders, LX, GT, GX, 300, 400 and X Series Tractors
- Quik-Tatch mounting allows for quick and easy installation and removal
- Large 1.75 x 8-inch adjustable steel gauge wheels are standard

X500 – 700 Series Attachments

- Convenient independent hand lift allows operators to easily raise or lower thatcher

30-inch Mechanical Drive Tiller



Features

- Used to prepare seed bed, till soil or till hard-packed (previously untilled) soil
- Full 30-in. tilling width
- Rear shield provides protection from thrown objects and smooths seedbed
- Removable tines bolted to shaft
- Heavy-duty, No. 50 Roller Chain used in drive
- Heavy-duty, welded tine housing
- Mid and rear-frame mounting points support wheels and over-center belt tension make installation and removal quick and easy
- Compatibility with X500, X520, X540 Multi-Terrain™ Tractors; G100 Garden Tractor; GT, GX, and 300 Series Lawn and Garden Tractors; and 240 through 285 Lawn and Garden Tractors

42-inch Hydraulic Tiller



Features

- 42-inch width, 6-inch depth tilling capacity
- Heavy-duty tine housing for durability
- Hydraulic drive provides quiet reliable operation
- Tiller is raised and lowered with the tractor hydraulic lift system
- Quik-Tatch installation and removal
- Reversible tiller design allows for conventional forward tilling and back-tilling

13 Utility Cart

X500 – 700 Series Attachments



Features

- Welded 16-gauge steel box construction
- Solid, one-piece 3/4-in. diameter axle for superior strength
- Rounded box sides for completely smooth inside, cleaner dumping
- Deluxe tailgate is hinged for easy emptying and can be quickly removed without tools, if desired
- No bolts or seams in bed to interfere with emptying
- Wide, turf-tread, pneumatic tires for excellent flotation and minimum rolling resistance
- Compatible with X700 Select Series™ as well as G100, GT, GX, and X Series Lawn and Garden Tractors

X728 Tractor Attachments

54-inch Quick-Hitch Front Blade



Features

- Quick and easy attachment and removal with no tools and no loose parts
- Hydraulic angling, 0 to 27 degrees
- Two large coil springs help protect blade from impact damage
- 54-inch blade is excellent for pushing snow or other loose material
- Replaceable cutting edge greatly extends the useful life of the blade

60-inch Mid-Mount Blade



Features

- Continuous-curve blade allows material to be rolled rather than pushed
- A high-carbon steel blade edge is bolted to the bottom of the blade for added

X500 – 700 Series Attachments

strength and is replaceable for long blade life

- A heavy angle-iron reinforcement is welded to the rear of the blade for added strength

60-inch Rear Blade



Features

- Moldboard and cutting edge are shaped and angled for effective scraping and moving of material
- Can be used for either pushing or pulling material
- In the forward position, blade can be set straight or angled 15 or 30 degrees to left or right
- In the rear position, blade can be set straight or angled 15 degrees to left or right
- 5-foot width is ideal for use with X Series tractors
- Compatible with tractors equipped with a Category 1 3-point hitch and having a maximum of 25 engine horsepower

48-inch Box Scraper (3-Point-Hitch Mounted, Category 1)



Features

- Heavy-duty cutting edges provide for both forward and back digging and leveling
- Heavy steel components are welded together for extra strength and durability
- Four adjustable scarifiers help loosen material for effective digging
- 4-ft. width is ideal for use with X Series tractors

X500 – 700 Series Attachments

- Compatible with tractors equipped with a Category 1 3-point hitch and having a maximum of 25 engine horsepower

Hard-Side Cab



Features

- ROPS-certified and equipped with seat belts for additional safety
- Molded body panels fully integrate with the tractor style and color
- Compatibility with all X Series Tractors
- Weather-sealed windows and doors keep interior of cab cleaner and quieter
- Doors and windows can be removed in 5-10 minutes for increased comfort during warm weather
- Steel with sliding glass windows for ventilation
- Molded safety glass windshield for optimum style and visibility

Category 1 3-Point Hitch Cultivator



Features

- Frame is constructed of heavy-duty 5/16-inch angle iron to resist bending
- Shank spacing is adjustable to meet row spacing, crop, and soil requirements
- Compatible with X Series tractors equipped with Limited Category 1 3-point hitch
- Compatible with garden tractors and compact utility tractors equipped with a

X500 – 700 Series Attachments

Category 1 or Limited Category 1 3-point hitch and having up to 25 engine horsepower

- Overall working width is adjustable from 30-inch to 46-inch, depending on row width

Category 1 3-Point Hitch Harrow Disk



Features

- Heavy-duty angle iron frame holds up in tough conditions
- Four gangs, two in the front and two in the rear, crumble the soil evenly to give a good seedbed
- Tandem design does a thorough job of breaking up and leveling soil
- Compatible with X Series tractors equipped with Limited Category 1 3-point hitch
- Compatible with garden tractors and compact utility tractors equipped with a Category 1 or Limited Category 1 3-point hitch and having up to 25 engine horsepower
- Overall width adjustable from 42-inch to 52-inch

45 Loader



Features

- Quik-tatch design permits installation or removal in less than 5 minutes
- No tools are required after initial installation; mounting brackets can remain on the tractor
- Double-acting cylinders are used to

X500 – 700 Series Attachments

provide down pressure for digging and scraping applications

- Boom and bucket movement are controlled by the tractor's conveniently located hydraulic control levers next to the steering wheel
- 48-inch standard bucket provides 5 cu. ft. struck capacity
- Fits all X700 Ultimate™ Tractors and X475, X485, X495, X575, X585, and X595 Two-Wheel Steer Tractors

Category 1 3-Point Hitch Plow, Single Bottom



Features

- 1/4-inch solid steel construction for long life
- Removable coulter blade constructed of 13-gauge steel for durability and long life
- Compatibility with X Series tractors equipped with Limited Category 1 3-point hitch
- Compatibility with garden tractors and compact utility tractors equipped with a Category 1 or Limited Category 1 3-point hitch and having up to 25 horsepower
- Standard 12-inch rear gauge wheels

52-inch Quick-Hitch Rotary Broom



Features

- A four-seasons implement that offers tremendous versatility; can be used for a variety of sweeping jobs
- During spring season, broom (when equipped with a thatching wheel kit) can be used to dethatch lawns; cleans off tennis courts quickly and effectively
- During summer months, broom

X500 – 700 Series Attachments

effectively performs a wide variety of sweeping jobs: sidewalks, driveways, parking lots, construction job sites, backfilling trenches, cleaning barns

- During fall season, broom can be used to rake leaves and windrow pine needles; sweeps artificial turf and cleans up spectator areas after sporting events

42-inch Hydraulic Tiller



Features

- 42-inch width, 6-inch depth tilling capacity
- Heavy-duty tine housing for durability
- Hydraulic drive provides quiet reliable operation
- Tiller is raised and lowered with the tractor hydraulic lift system
- Quik-Tatch installation and removal
- Reversible tiller design allows for conventional forward tilling and back-tilling

647 Tiller (48-inch, commercial-duty)



Features

- Commercial-duty 48-inch tilling capacity
- Tiller is raised and lowered by use of tractor hydraulic lift for operator convenience
- Large, replaceable tines and a heavy-duty tubular tine shaft provide excellent performance and durability
- iMatch compatibility provides easy

X500 – 700 Series Attachments

attachment

- Adjustable skid shoes

3-cu.-ft. Tractor Trunk Carrier



Features

- 3-cubic-foot capacity for hauling and dumping a wide variety of materials
- Quick release spring lever for dumping from tractor seat
- Installation and removal in seconds, no tools needed
- Durable polyethylene box construction keeps clean, prevents rusting
- Doubles as a ballast box when using front-mounted attachments
- Optional 25-gallon-capacity sprayer uses same mounting brackets for increased versatility
- Compatibility with 400 and X Series Tractors

25-Gallon Sprayer for 3 cu. ft. Tractor Trunk™ Carrier



- Change from hauling to spraying in seconds
- 90-inch boom spray width for spraying large areas
- Convenient handgun for instant spot spraying
- Large filler cap opening makes quick work of filling, helps prevent spills
- Compatibility with 400 Series Lawn and Garden Tractors

18 Utility Cart

X500 – 700 Series Attachments



Features

- Heavy-duty 16-gauge steel body construction
- Solid, one-piece 1-in. diameter axle for maximum strength and large capacity
- Deluxe tailgate is hinged for easy emptying and can be quickly removed without tools, if desired
- Durable welded box design with rounded box sides for completely smooth inside, cleaner dumping
-
- Wide, turf-tread, pneumatic tires for excellent flotation and minimum rolling resistance
- Compatible with X700 Select Series™ as well as X Series Tractors